

Dosing Chart for Ibuprofen, Advil, Motrin - Use weight if known

Pounds	Kilograms	Age	Infant Oral drops, 50/1.25ml	Children's Suspension 100mg/5ml	Chewable Tablet 50mg	Junior Strength Caplet or Tablet 100mg	Adult Tablet 200mg
12-17 lbs	5.5-7.9 kg	6-11 months	1.25 ml	2.5 ml (1/2 tsp)			
18-23 lbs	8.0-10.9 kg	12-23 months	1.875 ml	4 ml (3/4 tsp)			
24-35 lbs	11-15.9 kg	2-3 years	2.5 ml (1/2 tsp)	5 ml (1 tsp)	2 tablets		
36-47 lbs	16-21.9 kg	4-5 years	3.75 ml	7.5 ml (1.5 tsp)	3 tablets		
48-59 lbs	22-26.9 kg	6-8 years	5 ml (1 tsp)	10 ml (2 tsp)	4 tablets	2 tablets	1 tablet
60-71 lbs	27-31.9 kg	9-10 years		12.5 ml (2.5 tsp)	5 tablets	2.5 tablets	1 tablet
72-95 lbs	32-43.9 kg	11 + years		15 ml (3 tsp)	6 tablets	3 tablets	1.5 tablets
96 + lbs	44 + kg			20 ml (4 tsp)	8 tablets	4 tablets	2 tablets

Repeat every 6-8 hours, do not exceed 4 doses per 24 hours.

Dosing Chart for Acetaminophen, Tylenol, Tempra - Use weight if known, use single ingredient medications only

Pounds	Kilograms	Age	Old Infant drops 80mg/0.8 ml	New Infant Acetaminophen Oral Suspension 160mg/5ml (1 tsp)	Children's Syrup 160mg/5ml (1 tsp)	Chewable Tablet 80 mg	Chewable Tablet 160 mg	Adult Tablet 325 mg	Adult Tablet 500 mg
6-11 lbs	2.7 - 5 kg	0-3 months	1/2 dropper (0.4 ml)	1.25 ml					
12-17 lbs	5.5-7.9 kg	4-11 months	1 dropper (0.8 ml)	2.5 ml (1/2 tsp)	2.5 ml (1/2 tsp)				
18-23 lbs	8.0-10.9 kg	12-23 months	1.5 dropper (1.2 ml)	3.75 ml (3/4 teaspoon)	3.75 ml (3/4 teaspoon)				
24-54 lbs	11-15.9 kg	2-3 years	2 droppers (1.6 ml)	5 ml (1 teaspoon)	5 ml (1 teasppoon)	2 tablets	1 tablet		
36-47 lbs	16-21.9 kg	4-5 years		7.5 ml (1.5 tsp)	7.5 ml (1.5 tsp)	3 tablets	1.5 tablets		
48-59 lbs	22-26.9 kg	6-8 years		10 ml (2 tsp)	10 ml (2 tsp)	4 tablets	2 tablets	1 tablet	
60-71 lbs	27-31.9 kg	9-10 years		12.5 ml (2.5 tsp)	12.5 ml (2.5 tsp)	5 tablets	2.5 tablets	1.5 tablets	
72-95 lbs	32-43.9 kg	11 + years		15 ml (3 tsp)	15 ml (3 tsp)	6 tablets	3 tablets	2 tablets	1 tablet
96 + lbs	44 + kg			20 ml (4 tsp)	20 ml (4 tsp)	8 tablets	4 tablets	2 tablets	1 tablet

Repeat every 4-6 hours as needed. Don't give more than 5 times a day. ADULT DOSAGE: 650 mg MAXIMUM: 3,000 mg in a 24-hour period.

Dosing Chart for Benadryl, Diphenhydramine

Pounds	Kilograms	Age	Liquid Benadryl (12.5 mg/5ml)	Benadryl Chewable/ Fastmelt Tablet (12.5 mg)	Benadryl Tablet/Capsule (25 mg)
Under 20 lbs	Under 9 kg	Less than 12 months	Call pediatrician		
20-24 lbs	9-10.8 kg	12-23 months	3/4 tsp (4 ml)		
25-37 lbs	10.9-16.8 kg	2-3 years	1 tsp (5 ml)	1 chewable	1/2 tablet
38-49	16.9-22.2 kg	4-5 years	1.5 tsp (7.5 ml)	1.5 chewable	1/2 tablet
50-99 lbs	22.3-44.9 kg	6-11 years	2 tsp (10 ml)	2 chewables	1 tablet/capsule
100 lbs and over	45 kg and over	11 years and older	4 tsp (20 ml)	4 chewables	2 tablets/capsules

Repeat every 6 hours, do not exceed more that 4 doses in 24 hours